We claim:

- 1. An isolated inflammatory bowel disease associated I-2 polypeptide, comprising substantially the same amino acid sequence as SEQ ID NO: 2.
- 5 2. The isolated I-2 polypeptide of claim 1, comprising the amino acid sequence SEQ ID NO: 2.

An isolated immunoreactive fragment of an I-2 polypeptide, comprising substantially the same amino acid sequence as a partion of an I-2 polypeptide (SEQ ID NO: 2).

- 4. The isolated immunoreactive fragment of claim 3, comprising at least ten contiguous amino acids of SEQ ID NO: 2.
 - 5. Substantially parified antibody material that selectively binds an I-2 polypoptide having SEQ ID NO: 2.
- of claim 5, which is monoclonal antibody material.
 - 7. An isolated nucleic acid molecule, comprising a nucleic acid sequence encoding substantially the same amino acid sequence as SEQ ID NO: 2.
- 8. The isolated nucleic acid molecule of claim 7, comprising the nucleic acid sequence SEQ ID NO: 1.

5

10

- 9. A method of diagnosing inflammatory bowel disease (IBD) in a subject, comprising:
 - (a) obtaining a sample from said subject;
 - (b) contacting said sample with an I-2 polypeptide, or immunoreactive fragment thereof, under conditions suitable to form a complex of said I-2 polypeptide, or said immunoreactive fragment thereof, and antibody to said I-2 polypeptide; and

(c) detecting the presence or absence of said complex,

wherein the presence of said complex indicates that said subject has IBD.

- 10. The method of claim) 9, wherein the presence or absence of said complex is detected with a detectable secondary antibody that has specificity for a class determining portion of said antibody to said I-2 polypeptide.
- 11. The method of claim 9, wherein said IBD is 20 Crohn's disease.
 - 12. The method of claim 9, wherein said I-2 polypeptide comprises the sequence SEQ ID NO: 2.
- 13. A method of inducing tolerance in a patient with IBD, comprising administering an effective dose of Y-2 polypeptide, or tolerogenic fragment thereof, to said patient with IBD.

- 14. The method of claim 13, wherein said IBD is Crohm's disease.
- 15. The method of claim 13, wherein said I-2 polypeptide comprises the sequence SEQ ID NO: 2.
- 16. A composition comprising an I-2 polypeptide having substantially the same amino acid sequence as SEQ ID NO: 2, or tolerogenic fragment thereof, combined with a tolerogizing molecule.
- 17. The composition of claim 16, wherein said 10 I-2 polypeptide has the amino acid sequence SEQ ID NO: 2.
 - 18. The composition of claim 16, which comprises a tolerogenic fragment having at least ten contiguous amino acids of SEQ ID NO: 2.

5

- 19. A method of identifying an agent useful in treating inflammatory bowel disease (IBD), comprising:

 (a) obtaining a specimen of an enteric bacteria from a patient with IBD;
 - (b) isolating from said specimen a microbial species that comprises a nucleic acid molecule encoding an I-2 polypeptide;
 - (c) contacting said microbial species with an agent; and
- (d) assaying for reduced growth or viability of said microbial species as compared to the growth or viability in the absence of said agent, wherein said reduced growth or viability of said microbial species indicates that said agent is an agent useful in treating IBD.
 - 20. The method of claim 19, wherein said IBD is Crohn's disease.
- 21. The method of claim 19, wherein said agent is 20 an antibiotic.

- 22. A method of identifying an agent useful in treating inflammatory bowel disease (IBD), comprising:
- (a) administering I-2 polypeptide to a non-human animal, whereby one or symptoms of IBD are5 exhibited;
 - (b) administering an agent to said non-human animal; and
 - (c) assaying the level of said one or more symptoms characteristic of IBD,
- 10 wherein a reduction in the level of said one or more symptoms as compared to a control level indicates that said agent is an agent useful in treating IBD.
 - 23. The method of claim 22, wherein said IBD is Crohn's disease.
- 15 24. The method of claim 22, wherein said I-2 polypeptide has the amino acid sequence SEQ ID NO: 2.
- 25. The method of claim 22, wherein said
 non-human animal is a mouse selected from the group
 consisting of a Gαi2 -/- mouse; a TCRα -/- mouse and a IX-10
 . 20 -/- mouse.

Add